

LID SCRUB 3 DAYS PRIOR TO SURGERY BEGIN DROPS 3 DAYS PRIOR TO SURGERY



POSSIBLE POST-OP SYMPTOMS:

1. Tearing.
2. Mild red eye.
3. Burning sensation from drops.
4. Small amounts of discharge to collect on the edge of the eyelids.
5. Floating spots.

WATCHFUL POST-OP SYMPTOMS

**CALL THE OFFICE IMMEDIATELY
IF ANY OF THESE APPEAR!**

1. Extreme Pain or Swelling.
2. Significant discharge from eye (pus).
3. Sudden Vision Loss.

Blurred vision can be expected after surgery. Complete healing of the eye will take approximately 3-6 weeks at which time your vision will be reevaluated and the appropriate change in glasses will be made.

POST-OPERATIVE CARE:

INSTRUCTIONS:

- A. Wear your glasses during the day if more comfortable.
- B. **DO NOT RUB YOUR EYE.**
- C. Most people can resume driving immediately.

The health of your eye is extremely important to all of us. Your post-operative appointments are scheduled to ensure optimum recovery. If you have any questions, please do not hesitate to call our office at (718) 460-1200.

Thank you,
Dr. Gary Hirshfield & Staff

WEEK	ZYMAR	ACUVAIL	PREDNISOLONE
2 DAYS PRIOR	4 X DAY	2 X DAY	NONE
WEEK 1	4 X DAY	2 X DAY	4 X DAY
WEEK 2		2 X DAY	4 X DAY
WEEK 3		2 X DAY	4 X DAY
WEEK 4		2 X DAY	

POST INSTRUCTIONS

Care Instructions

1. Wash hands before using drops.
2. Wait 5 minutes between the different drops.
3. You may shower - Resume most normal activities.
4. Patch or shield is usually not necessary.